

AURORA WORLD CORPORATION

 Aurora World H.Q Bldg, 997, Daechi-dong
 Gangnam-gu, Seoul
 Korea



The following sample(s) was/were submitted and identified by/on behalf of the client as : -

SGS File No.	:	AYHA24-12158
Sample Description	:	BERRY SUNSET MEOWCHI
Detail of Sample	:	Berry Sunset Meowchi toy stuffed polyester fibers, having information labels and hangtags.
Style No. / Item No.	:	200567A(14288)
Order No.	:	-
Buyer	:	-
Manufacturer	:	QINGDAO XINJINQI TOYS CO., LTD. YANGGEZHUANG BEIGUAN STREET, JIAOZHOU CITY, QINGDAO, 266300, SHANDONG, CHINA
Country of Origin	:	CHINA
Country of Destination	:	-
Labeled age grading	:	None
Requested age	:	None
SGS assessed age(based on CEN ISO 8124-8/CPSC Age Determination guidelines)	:	All ages
Combine Requested Date	:	2024. 08. 27
Test Period	:	Please refer to following page(s)
Test Method	:	Please refer to following page(s)
Test Results	:	The results are extracted from various reports according to the declaration provided by client. Please refer to following page(s)
Report Comments	:	The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This test report is not related to Korea Laboratory Accreditation Scheme. The statement of conformity was made on the requested specification or standard. The decision rule would be based on the binary statement (Pass/Fail) according to ILAC-G8:09/2019 guideline 4.2.1 without taking measurement uncertainty into account by applicant's agreement.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

Result Summary

Test Requested	Conclusion
EN 71 Part 1:2014+A1:2018 - Mechanical and Physical Properties	PASS
EN 71 Part 2:2020 - Flammability of Toys	PASS
Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys	SEE RESULT 1
Labeling requirement (UKCA marking, name and address, product identification) for the market of Great Britain (England, Wales and Scotland) with reference to guidance published by department for business, energy & industrial strategy	SEE RESULT 2
Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2019/1922 - EN71-3:2019+A1:2021 - Migration of certain elements	PASS

Chris Jeong

Monet Jeong

Technical Manager / SGS Korea Co., Ltd

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

Test Conducted

European Standard on Safety of Toys

- Mechanical & Physical Properties

As specified in European standard on safety of toys EN 71 Part 1:2014+A1:2018

This result copied from the test report no. F690101/LF-CTSAYHA24-12110 dated 2024-09-03

Clause	Description	Result
4	General requirements	-
4.1	Material cleanliness	PASS
4.7	Edges	PASS
4.8	Points and metallic wires	PASS
5	Toy intended for children under 36 months	-
5.1	General requirements	PASS
5.1a	Small part requirement on toys & Removable components (Test method 8.2)	PASS
5.1b	Torque test (Test method 8.3)	PASS
5.1b	Tension test (Test method 8.4)	PASS
5.1b	Drop test (Test method 8.5)	PASS
5.1b	Impact test (Test method 8.7)	PASS
5.1b	Sharpness of edges (Test method 8.11)	PASS
5.1b	Sharpness of points (Test method 8.12)	PASS
5.2	Soft-filled toys and soft-filled parts of a toy	PASS

N.B. : Only applicable clauses were shown

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).



Test Report No. F69001/LF-CTSAYHA24-12158

Issued Date : 2024.09.06

Page 4 of 11

- Flammability of Toys

As specified in European standard on safety of toys EN71 PART 2: 2020

This result copied from the test report no. F690101/LF-CTSAYHA24-12110 dated 2024-09-03

Clause	Description	Result
4.1	General requirements	PASS
4.5	Soft-filled toys	PASS

4.1 General requirement_Surface Flash of Pile Fabrics

Sample	Result
Berry Sunset Meowchi toy	NSFO

NSFO = No Surface Flash Occurred

SFO = Surface Flash Occurred

4.5 Soft-filled toys

Sample	Burning Rate (mm/s)	Result
Berry Sunset Meowchi toy	-	SE

SE = Self-Extinguishing

DNI = Did not Ignite

FAIL: Exceed the limit

* The sample(s) was (were) not tested as its maximum dimension is 150 mm or less

Requirement: The rate of spread of flame on the surface of toy shall not be greater than 30 mm/sec

N.B. : Only applicable clauses were shown.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

CQP-7081-F01 (01)

SGS Korea Co., Ltd.

322, The O valley, 76, LS-ro, Dongan-gu, Anyang-si, Gyeonggi-do, Korea 14117
t +82 (0)31 4608 000 f +82 (0)31 4608 059 <http://www.sgsgroup.kr>

Member of the SGS Group (Société Générale de Surveillance)



See Result 1

Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC - Safety of toys

This result copied from the test report no. F690101/LF-CTSAYHA24-12110 dated 2024-09-03

Summary table :

Observation	Result	Location
Washing/Cleaning instruction	PRESENT	Affixed label and hangtag
CE mark	PRESENT	Affixed label and hangtag
Importer's Name & Address	PRESENT	Affixed label and hangtag
Manufacturer's Name & Address	PRESENT	Affixed label and hangtag
Product identification	PRESENT	Affixed label and hangtag

Note :

1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable.
2. CE marking should be visible from outside the packaging and its height must be at least 5 mm.
3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).



See Result 2

Labeling requirement (UKCA marking, name and address, product identification) for the market of Great Britain (England, Wales and Scotland) with reference to guidance published by department for business, energy & industrial strategy

This result copied from the test report no. F690101/LF-CTSAYHA24-12110 dated 2024-09-03

Summary table :

Observation	Result	Location
UKCA mark	PRESENT	Affixed label and hangtag
Company Name and Address	PRESENT	Affixed label and hangtag
Product identification	PRESENT	Affixed label and hangtag

Note :

1. The UKCA marking should be at least 5 mm in height - unless a different minimum dimension is specified in the relevant legislation. The UKCA marking should be easily visible, legible (from 1 January 2023 it must be permanently attached). To reduce or enlarge the size of your marking, the letters forming the UKCA marking must be in proportion to the version.
2. UK importer shall label company's details, including company's name and a contact address after 1 January 2021. Until 31 December 2022, UK importer can provide these details on the accompanying documentation rather on the good itself.
3. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

Directive 2009/48/EC and its Amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2019/1922 - EN71-3:2019+A1:2021 – Migration of certain elements
Category III: Scrapped-off toy material

Method : With reference to EN71-3:2019+A1:2021. Analysis of general elements was performed by ICP-OES and Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV/VIS.

Test Item	Result (mg/kg)					Reporting Limit (mg/kg)	Permissible Limit EN71-3: 2019 + A1:2021 (mg/kg)
	1	2	3	4	5		
Mass of trace amount (mg)	--	--	--	--	19.2	--	--
Soluble Aluminium (Al)	N.D.	N.D.	N.D.	N.D.	N.D.	50	28,130
Soluble Antimony (Sb)	N.D.	36.2	N.D.	N.D.	N.D.	10	560
Soluble Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	10	47
Soluble Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	50	18,750
Soluble Boron (B)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15,000
Soluble Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	5	17
Soluble Chromium (Cr(III))	N.D.	N.D.	N.D.	N.D.	N.D.	5	460
Soluble Chromium (Cr(VI))	N.D.	N.D.	N.D.	N.D.	N.D.	0.01	0.053
Soluble Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	N.D.	10	130
Soluble Copper (Cu)	N.D.	N.D.	N.D.	N.D.	N.D.	50	7,700
Soluble Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	10	23
Soluble Magnanese (Mn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15,000
Soluble Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	10	94
Soluble Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	N.D.	10	930
Soluble Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	10	460
Soluble Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	N.D.	50	56,000
Soluble Tin (Sn)	N.D.	N.D.	N.D.	N.D.	N.D.	4.9	180,000
Soluble Organic Tin [^]	--	--	--	--	--	--	12
Soluble Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	46,000
Comment / Conclusion	PASS	PASS	PASS	PASS	PASS	--	--

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

Directive 2009/48/EC and its Amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2019/1922 - EN71-3:2019+A1:2021 – Migration of certain elements
Category III: Scrapped-off toy material

Method : With reference to EN71-3:2019+A1:2021. Analysis of general elements was performed by ICP-OES and Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV/VIS.

Test Item	Result (mg/kg)					Reporting Limit (mg/kg)	Permissible Limit EN71-3: 2019 + A1:2021 (mg/kg)
	6	7	8	9	10		
Mass of trace amount (mg)	33.1	--	--	12.6	97.6	--	--
Soluble Aluminium (Al)	N.D.	N.D.	N.D.	N.D.	N.D.	50	28,130
Soluble Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	10	560
Soluble Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	10	47
Soluble Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	50	18,750
Soluble Boron (B)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15,000
Soluble Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	5	17
Soluble Chromium (Cr(III))	N.D.	N.D.	N.D.	N.D.	N.D.	5	460
Soluble Chromium (Cr(VI))	N.D.	N.D.	N.D.	N.D.	N.D.	0.01	0.053
Soluble Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	N.D.	10	130
Soluble Copper (Cu)	N.D.	N.D.	N.D.	N.D.	N.D.	50	7,700
Soluble Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	10	23
Soluble Magnanese (Mn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15,000
Soluble Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	10	94
Soluble Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	N.D.	10	930
Soluble Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	10	460
Soluble Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	N.D.	50	56,000
Soluble Tin (Sn)	N.D.	N.D.	N.D.	N.D.	N.D.	4.9	180,000
Soluble Organic Tin [^]	--	--	--	--	--	--	12
Soluble Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	46,000
Comment / Conclusion	PASS	PASS	PASS	PASS	PASS	--	--

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

Directive 2009/48/EC and its Amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2019/1922 - EN71-3:2019+A1:2021 – Migration of certain elements
Category III: Scrapped-off toy material

Method : With reference to EN71-3:2019+A1:2021. Analysis of general elements was performed by ICP-OES and Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV/VIS.

Test Item	Result (mg/kg)			Reporting Limit (mg/kg)	Permissible Limit EN71-3: 2019 + A1:2021 (mg/kg)
	11	12	13		
Mass of trace amount (mg)	--	--	--	--	--
Soluble Aluminium (Al)	N.D.	N.D.	N.D.	50	28,130
Soluble Antimony (Sb)	N.D.	N.D.	N.D.	10	560
Soluble Arsenic (As)	N.D.	N.D.	N.D.	10	47
Soluble Barium (Ba)	N.D.	N.D.	N.D.	50	18,750
Soluble Boron (B)	N.D.	N.D.	N.D.	50	15,000
Soluble Cadmium (Cd)	N.D.	N.D.	N.D.	5	17
Soluble Chromium (Cr(III))	N.D.	N.D.	N.D.	5	460
Soluble Chromium (Cr(VI))	N.D.	N.D.	N.D.	0.01	0.053
Soluble Cobalt (Co)	N.D.	N.D.	N.D.	10	130
Soluble Copper (Cu)	N.D.	N.D.	N.D.	50	7,700
Soluble Lead (Pb)	N.D.	N.D.	N.D.	10	23
Soluble Magnanese (Mn)	N.D.	N.D.	N.D.	50	15,000
Soluble Mercury (Hg)	N.D.	N.D.	N.D.	10	94
Soluble Nickel (Ni)	N.D.	N.D.	N.D.	10	930
Soluble Selenium (Se)	N.D.	N.D.	N.D.	10	460
Soluble Strontium (Sr)	N.D.	N.D.	N.D.	50	56,000
Soluble Tin (Sn)	N.D.	N.D.	N.D.	4.9	180,000
Soluble Organic Tin [^] --	--	--	--	--	12
Soluble Zinc (Zn)	N.D.	N.D.	N.D.	50	46,000
Comment / Conclusion	PASS	PASS	PASS	--	--

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

EN71-3:2019+A1:2021 – Migration of certain elements
Sample Description :

	Sample description	Part name	Material no.	Report from Test report no.	Issued date
1	PINK TEXTILE	HEAD / BODY	ABHS008	AYHA24-12260	2024.09.04
2	WHITE TEXTILE	FEET	ABHS011	AYHA24-01423	2024.02.20
3	YELLOW TEXTILE	HORN	ABHS022	AYHA24-12261	2024.09.04
4	PINK TEXTILE	INNER EAR	ABHS030	AYHA24-12262	2024.09.04
5	BLACK EMBROIDERY	EYE / CHEEK / MOUTH	E1180	AYHA24-08653	2024.07.09
6	WHITE THREAD	EYE	E1179	AYHA24-04166	2024.04.09
7	LIGHT GREEN EMBROIDERY	EYE	E1119	AYHA24-12263	2024.09.09
8	YELLOW THREAD	EYE	E1009	AYHA24-04248	2024.04.15
9	ORANGE EMBROIDERY	EYE	E1219	AYHA24-12264	2024.09.04
10	CREAM EMBROIDERY	CHEEK	E1010	AYHA24-01834	2024.02.27
11	MULTI COLOR PRINTED SATIN LABEL	TASTY PEACH BRAND SATIN LABEL	TASTY PEACH BRAND SATIN LABEL	AYHA24-08881	2024.07.15
12	MULTI COLOR PRINTED SATIN LABEL	TASTY PEACH UKCA SATIN LABEL	TASTY PEACH UKCA SATIN LABEL	AYHA24-08882	2024.07.15
13	DARK ORANGE/ ORANGE/ YELLOW PRINTED TEXTILE	HAIR / TAIL	BQDN800	AYHA24-12265	2024.09.04

Note. 1. mg/kg = milligram per kilogram

2. N.D. = Not Detected (< Reporting Limit)

3. 1% = 10,000 mg/kg = 10,000 ppm

4. Soluble Chromium(III) = Soluble Total Chromium - Soluble Chromium(IV)

5. ^ = The test result of soluble organic tin was derived from soluble tin screening and then confirmation test for soluble organic tin on component exceeding the screening limit of 4.9 mg/kg soluble Sn.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

**Picture of Sample as copied from the test report no.
F690101/LF-CTSAYHA24-12110 dated 2024-09-03**



AYHA24-12110

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).